

3X HIGH PERFORMANCE

SHEETS

Application

Superior sanding performance for a premium surface finish. Excellent on all surfaces and coatings. Will not clog, tear or transfer color.

GRIT GUIDE

Super Fine (400)	Final finish
Extra Fine (320)	Between coats sanding
Very Fine (220)	After priming, staining or sealing
Fine (180)	Final surface smoothing and initial between coats
Fine (150)	Fine surface preparation
Medium (120)	Light stock removal and surface leveling
Medium (100)	Moderate to light removal and stripping
Coarse (80)	Moderate removal and stripping
Coarse (60)	Heavy removal, stripping, dimensioning and shaping


FEATURES

- premium heat-treated aluminum oxide abrasive, P-graded
- flexible, fibre-reinforced backing
- non-pigmented, waterbased stearate (anti-clog) coating, open coat
- no color dye in coating process

BENEFITS

- 3X longer product life and 3X faster cut rate than conventional aluminum oxide products
- consistent surface finish
- exceptional performance on all surfaces and coatings
- excellent life, flexibility and tear resistance when folded
- best resistance to clogging and loading during sanding
- no chance of color transfer to workpiece
- no finish contamination

Proven Performance with 3X!



UPC-A PART NUMBER GRIT GRADING QTY/PACK PACKS/CASE

3X HIGH PERFORMANCE (A259)

HANDY PACKS

9" x 11"

07660702612	5	07660702612	P400	Super Fine	3	25**
07660702613	2	07660702613	P320	Extra Fine	3	25**
07660702616	3	07660702616	P220	Very Fine	3	25**
07660702617	0	07660702617	P180	Fine	3	25**
07660702618	7	07660702618	P150	Fine	3	25**
07660702619	4	07660702619	P120	Medium	3	25**
07660702620	0	07660702620	P100	Medium	3	25**
07660702621	7	07660702621	P80	Coarse	3	25**
07660702622	4	07660702622	P60	Coarse	3	25**
07660705386	2	07660705386	Asst.	1 each of 60, 100, 150 & 220	4	25**

9" x 11" Power Sanding Pack

07660705468	5	07660705468	P150	Fine	4	10**
07660705469	2	07660705469	P100	Medium	4	10**
07660705470	8	07660705470	P60	Coarse	4	10**

4-1/2" x 4-1/2" – Stick & Sand

07660705311	4	07660705311	P220	Very Fine	4	20**
07660705312	1	07660706077	P150	Fine	4	10**
07660705313	8	07660706078	P100	Medium	4	10**
07660705314	5	07660706079	P60	Coarse	4	10**

3-2/3" x 9" – Clamp & Sand

07660705315	2	07660705315	P220	Very Fine	4	20**
07660705316	9	07660705316	P150	Fine	4	20**
07660705317	6	07660705317	P100	Medium	4	20**
07660705318	3	07660705318	P60	Coarse	4	20**

3-2/3" x 7" – Ergonomic Hand Sander

07660705237	7	07660705237	N/A	Hand Sander	1	8**
-------------	---	-------------	-----	-------------	---	-----

UPC-A PART NUMBER GRIT QTY/PACK PACKS/CASE CONTAINS UPC CODED SHEET

JOB PACKS†

9" x 11"

07660702632	3	07660702632	P400	20	10**	07660702623	1
07660702633	0	07660702633	P320	20	10**	07660702624	8
07660702636	1	07660702636	P220	20	10**	07660702625	5
07660702637	8	07660702637	P180	20	10**	07660702626	2
07660702638	5	07660702638	P150	20	10**	07660702627	9
07660702639	2	07660702639	P120	20	10**	07660702628	6
07660702640	8	07660702640	P100	20	10**	07660702629	3
07660702641	5	07660702641	P80	20	10**	07660702630	9
07660702642	2	07660702642	P60	20	10**	07660702631	6

† CONTAINS INDIVIDUAL UPC-A BAR CODED SHEETS.
**PACKAGED IN CONVENIENT DISPLAY CASE FORMAT. NO INNER MINIMUM PACKAGE.

Norton 3X Has Professionals Talking...

"Cuts great, doesn't clog up quick!"

"I used to think sandpaper was sandpaper, but this product is outstanding!"

"Great product. Reduces sanding time. Ease of cleaning after use is great!"

NORTON

Application

For general purpose hand or machine sanding wood, metal, plastic and fiberglass, as well as removing old paint.

GRIT GUIDE

Very Fine (220)	For light sanding between stain, primer, and sealer
Fine (150, 180)	For final sanding of surfaces prior to coating with stain, primer or sealer
Medium (100, 120)	For light sanding or cleaning of surfaces and moderate removal of coatings or rust
Coarse (60, 80)	For heavy removal of wood, paint, varnish or rust
Ex. Coarse (36, 40, 50)	For very heavy removal of wood, coatings or rust



SHEETS

UPC-A	PART NUMBER	GRIT	GRADING	QTY/ PACK	PACKS/ CASE	
MULTISAND						
HANDY PACKS						
9" x 11"						
07660747710	1 076607 47710	220	Very Fine	5	10	
07660747710	1 076607 02769	220	Very Fine	5	25 **	
07660747720	0 076607 47720	150	Fine	5	10	
07660747720	0 076607 02770	150	Fine	5	25 **	
NEW!	07660747725	5 076607 04154	120	Medium	5	25 **
07660747735	4 076607 47735	100	Medium	5	10	
07660747735	4 076607 02771	100	Medium	5	25 **	
NEW!	07660747740	8 076607 04153	80	Coarse	5	25 **
07660747750	7 076607 47750	60	Coarse	3	10	
07660747750	7 076607 02772	60	Coarse	3	25 **	
07660747755	2 076607 47755	36	Ex. Coarse	3	25 **	
07660747765	1 076607 47765	Asst.	2VF, 2F, 1M	5	10	
07660747765	1 076607 04155	Asst.	2VF, 2F, 1M	5	25 **	
4-1/2" x 11"						
07660748353	9 076607 02050	150	Fine	6	10 **	
07660748354	6 076607 02051	100	Medium	6	10 **	
07660748355	3 076607 02052	60	Coarse	4	10 **	
4-1/2" x 5-1/2"						
07660748132	0 076607 05441	220	Very Fine	6	10 **	
07660748300	3 076607 05442	150	Fine	6	10 **	
07660748301	0 076607 05444	100	Medium	6	10 **	
07660748302	7 076607 05445	60	Coarse	6	10 **	
07660748130	6 076607 02057	Asst.	2VF, 2F, 2M	6	10 **	
4-1/2" x 4-1/2" – Stick & Sand						
07660749126	8 076607 05447	220	Very Fine	5	10 **	
07660749127	5 076607 05446	150	Fine	5	10 **	
07660749128	2 076607 05452	100	Medium	5	10 **	
07660749129	9 076607 05453	60	Coarse	5	10 **	

UPC-A	PART NUMBER	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
MULTISAND					
HANDY PACKS					
3-2/3" x 9"					
07660748295	2 076607 48295	150	Fine	6	20**
07660748295	2 076607 02058	150	Fine	6	10 **
07660748310	2 076607 48310	100	Medium	6	20**
07660748310	2 076607 02059	100	Medium	6	10 **
07660748325	6 076607 48325	60	Coarse	6	20**
07660748325	6 076607 02060	60	Coarse	6	10 **
07660748335	5 076607 48335	Asst.	3F, 2M, 1C	6	20**
07660748335	5 076607 02061	Asst.	3F, 2M, 1C	6	10 **
3-2/3" x 25' Sheet Roll					
07660784250	3 076607 84250	150	Fine	1	9**
07660784251	0 076607 84251	100	Medium	1	9**
07660784252	7 076607 84252	60	Coarse	1	9**

UPC-A	PART NUMBER	GRIT	QTY/ PACK	PACKS/ CASE	CONTAINS UPC CODED SHEET
MULTISAND					
JOB PACKS†					
9" x 11"					
07660700354	6 076607 00354	220A	25	10**	07660700156 6
07660700355	3 076607 00355	180A	25	10**	07660700157 3
07660700356	0 076607 00356	150C	25	10**	07660700158 0
07660700357	7 076607 00357	120C	25	10**	07660700159 7
07660700358	4 076607 00358	100C	25	10**	07660700160 3
07660700359	1 076607 00359	80D	25	10**	07660700151 1
07660701624	9 076607 01624	60D	25	10**	07660700152 2
07660700360	7 076607 00360	50D	25	10**	07660700153 5
07660700361	4 076607 00361	36D	25	10**	07660700154 2
07660700365	2 076607 00365	Asst.	25	10**	07660700152 2
		6 each 60, 100, 150, and 7 each 220			07660700160 3 07660700158 0 07660700156 6

† CONTAINS INDIVIDUAL UPC-A BAR CODED SHEETS.

**PACKAGED IN CONVENIENT DISPLAY CASE FORMAT. NO INNER MINIMUM PACKAGE.



tip To make quick and easy clean up of dust, debris and liquid, use a micro-fiber cloth. It lifts and locks deep within the fibers unlike cotton cloths that scatter particles. Reusable 100s of times. Holds up to 8X weight in water. See page 17.

MULTISAND

SHEETS

UPC-A	PART NUMBER	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
MULTISAND					
JOB PACKS/BULK					
2-3/4" x 30/45 yds. Stick & Sand Sheet Roll (A275)					
66261131681	1	66261131681	P400B Super Fine	1	5
66261131683	5	66261131683	P320B Extra Fine	1	5
66261131685	9	66261131685	P240B Very Fine	1	5
66261131686	6	66261131686	P220B Very Fine	1	5
66261131687	3	66261131687	P180B Fine	1	5
66261131688	0	66261131688	P150B Fine	1	5
66261131689	7	66261131689	P120B Medium	1	5
66261131690	1	66261131690	P100B Medium	1	5
4-1/2" x 10 yds. (30 ft.) Stick & Sand Sheet Roll (A290)					
07660749247	0	07660749247	P320C Extra Fine	1	10**
07660749248	7	07660749248	P220C Very Fine	1	10**
07660749249	4	07660749249	P180C Fine	1	10**
07660749250	0	07660749250	P150C Fine	1	10**
07660749251	7	07660749251	P120C Medium	1	10**
07660749252	4	07660749252	P100C Medium	1	10**
07660749254	8	07660749254	P80C Coarse	1	10**

UPC-A	PART NUMBER	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
MULTISAND					
BULK					
3-1/2" x 50 yds. (A213, A211)					
07660784042	4	07660784042	150 Fine	1	5
07660784024	0	07660784024	120 Medium	1	5
07660784025	7	07660784025	100 Medium	1	5
07660784002	8	07660784002	80 Coarse	1	5

UPC-A	PART NUMBER	QTY/ PACK	PACKS/ CASE
RUBBER HAND SANDING BLOCK			
2-3/4" x 5-1/4"			
07660743140	0	07660701889	1 5**



The resilient rubber sanding block adapts well to mild contours and flat surfaces. One of the most efficient hand block sanders available for dry or wet sanding.

WOODSAND

Application

For preparation of bare wood surfaces where stain or finishes are to be applied. The natural garnet abrasive imparts a fine, smooth finish on wood.

GRIT GUIDE

Very Fine (220)	For light sanding between stain and sealer
Fine (150-180)	For final sanding or cleaning of wood surfaces
Medium (100-120)	For moderate removal of surface imperfections
Coarse (50-80)	For heavy removal of wood and coatings



UPC-A	PART NUMBER	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
WOODSAND					
HANDY PACKS					
9" x 11"					
07660747965	5	07660747965	220 Very Fine	5	10
07660747965	5	07660702774	220 Very Fine	5	25**
07660747980	8	07660747980	150 Fine	5	10
07660747980	8	07660702775	150 Fine	5	25**
07660747990	7	07660747990	100 Medium	5	10
07660747990	7	07660702776	100 Medium	5	25**
07660748010	1	07660748010	60 Coarse	3	10
07660748010	1	07660702777	60 Coarse	3	25**
07660748025	5	07660748025	Asst. 2VF, 2F, 1M	5	10
07660748025	5	07660700643	Asst. 2VF, 2F, 1M	5	50**

UPC-A	PART NUMBER	GRIT	QTY/ PACK	PACKS/ CASE	CONTAINS UPC CODED SHEET
WOODSAND					
JOB PACKS†					
9" x 11"					
07660701579	2	07660701579	220A	25	10** 07660701510 5
07660701580	8	07660701580	180A	25	10** 07660701512 9
NEW!	07660705507	1	07660705507	150A	25 10** not available
NEW!	07660705506	4	07660705506	120A	25 10** not available
NEW!	07660705505	7	07660705505	100A	25 10** not available
NEW!	07660705504	0	07660705504	80A	25 10** not available
07660701581	5	07660701581	150C	25	10** 07660701513 6
07660701582	2	07660701582	120C	25	10** 07660701514 3
07660701583	9	07660701583	100C	25	10** 07660701515 0
07660701584	6	07660701584	80C	25	10** 07660701516 7

† CONTAINS INDIVIDUAL UPC-A BAR CODED SHEETS.

**PACKAGED IN CONVENIENT DISPLAY CASE FORMAT. NO INNER MINIMUM PACKAGE.

NORTON

METALSAND

Application

For removing rust, paint and scale from metal surfaces. Also used for light deburring and cleaning. The natural emery abrasive is coated onto a flexible cloth backing for increased durability.

GRIT GUIDE

Fine	For cleaning and polishing
Medium	For moderate removal of rust, corrosion and paint, as well as light deburring
Coarse	For heavy removal of rust, corrosion and paint



SHEETS

UPC-A	PART NUMBER	GRADING	QTY/ PACK	PACKS/ CASE
METALSAND				
HANDY PACKS				
9" x 11"				
07660747805 4	07660747805	Fine	3	25**
07660747820 7	07660747820	Medium	3	25**
07660747835 1	07660747835	Coarse	3	25**
07660747855 9	07660747855	Asst. 1F, 1M, 1C	3	25**

SANDWET

Application

For wet, oil or dry sanding primer, sealer, varnish, lacquer, enamel and other top coats.

GRIT GUIDE

2000	For touch up repairs on a high gloss finish
1500	For generating a high gloss
1200	For generating a satin finish
800	For generating a matte finish
Ultra Fine (600)	For sanding final lacquer coats prior to compounding
Super Fine (400)	For sanding prior to final coat of lacquer, paint or varnish
Extra Fine (320)	For sanding between coats to remove bubbles and dust
Very Fine (220)	For removing raised fibers and blending repairs



UPC-A	PART NUMBER	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
SANDWET					
HANDY PACKS					
9" x 11"					
07660748052 1	07660748052	2000		5	10
07660748053 8	07660748053	1500		5	10
07660748054 5	07660748054	1200		5	10
07660748055 2	07660748055	800		5	10
07660748058 3	07660748058	600	Ultra Fine	5	10
07660748058 3	07660702343	600	Ultra Fine	5	25**
07660748060 6	07660748060	400	Super Fine	5	10
07660748060 6	07660702344	400	Super Fine	5	25**
07660748080 4	07660748080	320	Extra Fine	5	10
07660748080 4	07660702345	320	Extra Fine	5	25**
07660748090 3	07660748090	220	Very Fine	5	10
07660748090 3	07660702346	220	Very Fine	5	25**
07660748110 8	07660748110	Asst.	2SF, 2EF, 1VF	5	10
07660748110 8	07660702347	Asst.	2SF, 2EF, 1VF	5	25**

UPC-A	PART NUMBER	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
SANDWET					
JOB PACKS					
9" x 11"					
07660701223 4	07660701223	600A	Ultra Fine	25	10**
07660701224 1	07660701224	400A	Super Fine	25	10**
07660701225 8	07660701225	320A	Extra Fine	25	10**
07660701226 5	07660701226	220A	Very Fine	25	10**

Screen/Paper Application

For sanding drywall compound and patching plaster prior to priming. Waterproof screen resists clogging because of its open mesh design. Just rinse and reuse. Paper sheets are the standard economical choice.

GRIT GUIDE		
	SCREEN	PAPER
Final/Light Sanding	Very Fine (180-220)	Very Fine (150-220)
Second Coat	Fine/Medium (120,150)	Medium (100,120)
First Coat	Coarse (80,100)	Coarse (80)



Screen

UPC-A	PART NUMBER	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
WALLSAND – SCREEN (Q421)					

HANDY PACKS

4-3/16" x 11-1/4"

07660704173	9	07660702531	220	Final Coat	2	25**
07660704171	5	07660702530	150	Second Coat	2	25**
07660704169	2	07660702529	120	First Coat	2	25**

JOB PACKS

4-3/16" x 11-1/4"

07660701122	0	07660701122	220	Very Fine	25	10** WSL
07660702301	8	07660702301	180	Very Fine	25	10** WSL
07660704752	6	07660704752	150	Fine	25	10** WSL
07660704753	3	07660704753	120	Medium	25	10** WSL
07660702302	5	07660702302	100	Medium	25	10**
07660702303	2	07660702303	80	Coarse	25	10**
07660702049	9	07660702049	220	Very Fine	10	15**
07660704748	9	07660704748	150	Fine	10	15**
07660704749	6	07660704749	120	Medium	10	15**

UPC-A	PART NUMBER	GRIT	QTY/ PACK	SHEETS/ CASE
-------	-------------	------	--------------	-----------------

BULK

3-5/16" x 11 Die-Cut (UPC Bar Coded)

07660701312	5	07660701312	220	25	125
07660701311	8	07660701311	180	25	125
07660701222	7	07660701222	150	25	125
07660701300	2	07660701300	120	25	125
07660701301	9	07660701301	100	25	125

9" x 11" (Non UPC)

66261100915	7	66261100915	400	25	125
66261100920	1	66261100920	320	25	125
66261100935	5	66261100935	220	25	125
66261100940	9	66261100940	180	25	125
66261100945	4	66261100945	150	25	125
66261100950	8	66261100950	120	25	125
66261100955	3	66261100955	100	25	125
66261100960	7	66261100960	80	25	125

WSL WHILE SUPPLIES LAST

**PACKAGED IN CONVENIENT DISPLAY CASE FORMAT. NO INNER MINIMUM PACKAGE.

Paper Sheets

UPC-A	PART NUMBER	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
WALLSAND – PAPER (A412)					

HANDY PACKS

4-3/16" x 11" Die-Cut

07660703251	5	07660702299	120D	Finish Coat	5	10**
07660703251	5	07660702533	120D	Finish Coat	5	20**
07660703252	2	07660701888	100D	Second Coat	5	10**
07660703252	2	07660702534	100D	Second Coat	5	20**
07660703253	9	07660701887	80D	First Coat	5	10**
07660703253	9	07660702535	80D	First Coat	5	20**

JOB PACKS

4-3/16" x 11" Die-Cut

07660701209	8	07660701209	150D	Very Fine	25	10**
07660701208	1	07660701208	120D	Fine	25	10**
07660704746	5	07660704746	100D	Medium	25	10**
07660704747	2	07660704747	80D	Coarse	25	10**

UPC-A	PART NUMBER	GRIT	QTY/ PACK	SHEETS/ CASE
-------	-------------	------	--------------	-----------------

BULK

3-5/16" x 11" Die-Cut (UPC Bar Coded)

07660701310	1	07660701310	180D	50	250
07660701302	6	07660701302	150D	50	250
07660701303	3	07660701303	120D	50	250
07660701304	0	07660701304	100D	50	250
07660701305	7	07660701305	80D	50	250

4-3/16" x 11" Die-Cut (Non UPC)

66261125243	0	66261125243	180D	50	500
66261104716	6	66261104716	150D	50	500
66261104717	3	66261104717	120D	50	500
66261104718	0	66261104718	100D	50	500
66261104719	7	66261104719	80D	50	500

3-5/16" x 12" (Non UPC)

66261104714	2	66261104714	100D	50	500
66261104715	9	66261104715	80D	50	500

Drywall Tools

UPC-A	PART NUMBER	DESCRIPTION	QTY/ PACK	PACKS/ CASE
-------	-------------	-------------	--------------	----------------

WALLSAND – ACCESSORIES

Hand Sander

07660702411	4	07660702411	Sander	1	6**
-------------	---	-------------	--------	---	-----

Easy snug clips tighten for secure fit. Firm handle provides solid grip. For use with die-cut drywall and plaster sanding sheets or screens.

Pole Sander

07660702412	2	07660702412	Sander	1	8**
-------------	---	-------------	--------	---	-----

Use with threaded handle for sanding high walls and ceilings. For use with die cut drywall and plaster sanding sheets and screens.



HAND SANDER POLE SANDER



Stearated Paper Application


Stearated paper sheets are used for sanding drywall compound and plaster. The anti-clog coating decreases loading and prolongs product life.

Disc Application

Fits Porter Cable Drywall Sander, Model #7800. Aluminum oxide abrasive for an ultra smooth finish of drywall compound. Anti-clog coating on disc decreases loading and promotes optimal dust collection. The rugged hook & loop fastening system assures quick and easy disc change.

Roll Application

Paper rolls offer an economical choice over precut sheets and screens. Generally preferred for larger jobs. Cut to desired length.



SHEETS

Stearated Paper Sheets

UPC-A	PART NUMBER	GRIT	QTY/ PACK	PACKS/ CASE
WALLSAND – PAPER (B0411D0)				
JOB PACKS				
4-3/16" x 11"				
07660701864	9	07660701864	120	25 10
07660701863	2	07660701863	100	25 10
3-5/16" x 11"				
07660701862	5	07660701862	150	25 10
07660701861	8	07660701861	120	25 10
07660701860	1	07660701860	100	25 10

UPC-A	PART NUMBER	GRIT	QTY/ PACK	SHEETS/ CASE
BULK				
4-3/16" x 11" (UPC Bar Coded)				
07660701919	6	07660701919	150	100 1000
07660701920	2	07660701920	120	100 1000
07660701921	9	07660701921	100	100 1000
3-5/16" x 11" (UPC Bar Coded)				
07660701922	6	07660701922	150	100 1000
07660701923	3	07660701923	120	100 1000
07660701924	0	07660701924	100	100 1000

Paper Discs

UPC-A	PART NUMBER	GRIT	GRADING	QTY/ PACK	DISCS/ CASE
WALLSAND – DISCS (A290)					
BULK – UPC CODED					
9" Hook & Loop (Porter Cable 7800)					
66261156659	9	66261156659	P220	Very Fine	15 15
66261158171	6	66261158171	P180	Very Fine	15 15
07660702463	4	07660702463	P150	Fine	15 15
07660702464	0	07660702464	P120	Fine	15 15
07660702465	7	07660702465	P100	Medium	15 15
07660702466	4	07660702466	P80	Coarse	15 15
HANDY PACK					
Back-up Pad					
07660703292	8	07660703292	Back-up Pad	1	10**

Paper Rolls

UPC-A	PART NUMBER	GRIT	GRADING	QTY/ PACK	ROLLS/ CASE
WALLSAND – PAPER ROLLS (A412, G215, A213)					
BULK					
3-1/2" x 50 yds					
66261134425	8	66261134425	150	Fine	1 5
07660701653	9	07660701653	150	Fine	1 5
07660701654	6	07660701654	120	Fine	1 5
07660701655	3	07660701655	100	Medium	1 5
07660701656	0	07660701656	80	Coarse	1 5



Set dimensions: 24" wide x 46" high

Applications

3X High Performance No-Fil Adalox A259

Premium, P-graded aluminum oxide abrasive with fiber-reinforced backing. Specially coated to resist loading and tearing for 3X the life over conventional aluminum oxide products. First choice when performance counts on sanding tough finishes or looking for exceptional finish. High flexibility.

Premium No-Fil Adalox A275 (B-wt)

Premium, P-graded aluminum oxide abrasive resin bonded to a B-weight backing. Specially coated to resist loading and tearing over conventional aluminum oxide products.

No-Fil Adalox A251 (A-wt)

For rough and preparatory dry sanding of painted or varnished wood surfaces. Aluminum oxide abrasive is specially coated with a waterbase zinc stearate to resist loading. High flexibility A-weight paper backing and improved resin bond for increased performance.

Adalox A211 (D-wt), A212 (A-wt), A213 (C-wt)

For dry sanding hardwood, metal and composites by hand or machine. Long lasting, aluminum oxide abrasive is open coated on high tensile paper. A, C, D weight paper.

E-Z Flex Metalite K225 (J-wt)

For deburring, cleaning and polishing of metal. Rugged aluminum oxide abrasive is electro-coated onto a flexible cloth backing. Outperforms natural grains, like emery.

Garnet A511 (A-wt), A513 (C-wt), A514 (D-wt)

For rough through finish hand sanding of softer woods and cabinet work. Use dry on bare wood prior to coating. Natural garnet abrasive is electro-coated on high tensile paper. A, C, D weight paper.

Tufbak Durite Waterproof T461 (C-wt)

For sanding between coats of primers and other finishes on wood or metal with water or other lubricants. Diamond-like silicon carbide abrasive is electro-coated to a tough, waterproof paper backing.

Tufbak Durite Waterproof T402 (A-wt), T414 (A-wt)

For generating the ultimate finish in wet sanding applications. The premium ultra fine silicon carbide abrasive combined with a unique A-weight paper and strong resin bond system provides ultimate flexibility, long life and wet curl resistance.

Tufbak Waterproof T247 (B-wt), T280 (A-wt)


For wet or dry sanding between coats as well as final sanding. The premium ultra fine P-graded aluminum oxide abrasive is coated on a durable waterproof paper providing an ultra fine finish with improved tear resistance.

No-Fil Durite A413 (B-wt), A414 (A-wt)

For sanding between coats of primers and other finishes. The combination of sharp silicon carbide abrasive, a strong resin bond and special anti-clog coating gives it increased sanding life in dry applications. Use the A-weight version when looking for a high flexibility backing for longer life and increased performance.


Emery K622

For scouring and polishing non-rated metals and utensils. Emery abrasive is durabonded onto a flexible cloth backing.



UPC-A	PART NUMBER	GRIT	QTY/ PACK	PACKS/ CASE
9" x 11" BULK – UPC BAR CODED				
3X High Performance A259 (Aluminum Oxide) Paper – Open Coat Ø				
07660702623	1	07660702623	P400B	100 500
07660702624	8	07660702624	P320B	100 500
07660702625	5	07660702625	P220B	100 500
07660702626	2	07660702626	P180B	100 500
07660702627	9	07660702627	P150B	100 500
07660702628	6	07660702628	P120B	100 500
07660702629	3	07660702629	P100B	50 250
07660702630	9	07660702630	P80C	50 250
07660702631	6	07660702631	P60C	50 250
Adalox A211, A212, A213 (Aluminum Oxide) Paper – Open Coat Ø				
07660700156	6	07660700156	P220A	100 500
07660700157	3	07660700157	P180A	100 500
07660700158	0	07660700158	P150C	100 500
07660700159	7	07660700159	P120C	100 500
07660700160	3	07660700160	P100C	100 500
07660700151	1	07660700151	P80D	50 250
07660700152	8	07660700152	P60D	50 250
07660700153	5	07660700153	P50D	50 250
07660700154	2	07660700154	P40D	25 125
07660700155	9	07660700155	P36D	25 125
Garnet A511, A513, A514 Paper – Open Coat Ø				
07660701510	5	07660701510	280A	100 500
07660701511	2	07660701511	220A	100 500
07660701512	9	07660701512	180A	100 500
07660701513	6	07660701513	150C	100 500
07660701514	3	07660701514	120C	100 500
07660701515	0	07660701515	100C	100 500
07660701516	7	07660701516	80C	50 250
07660701517	4	07660701517	60C	50 250
07660701518	1	07660701518	50D	50 250
No-Fil Durite A413 (Silicon Carbide) Paper – Open Coat				
07660701404	7	07660701404	P320B	100 500
07660701403	0	07660701403	P220B	100 500
07660701402	3	07660701402	P180B	100 500
07660701313	2	07660701313	P150B	100 500
07660701401	6	07660701401	P120B	100 500
07660701221	0	07660701221	P100B	100 500
07660701400	9	07660701400	P80B	50 250
Tufbak Waterproof T280 Paper – Close Coat				
07660701293	7	07660701293	600A	50 250
07660701294	4	07660701294	400A	50 250
07660701295	1	07660701295	320A	50 250
07660701296	8	07660701296	220A	50 250
Emery K622 Cloth – Close Coat				
07660701308	8	07660701308	Fine	50 250
07660701309	5	07660701309	Medium	50 250
07660701307	1	07660701307	Coarse	25 125

HOW TO CUT A 9" X 11" FULL SHEET TO FIT YOUR SANDER



Ø ALSO AVAILABLE IN JOB PACKS
SEE PAGE 4 FOR 3X; PAGE 5 FOR MULTISAND AND PAGE 6 FOR WOODSAND.



UPC-A	PART NUMBER	GRIT	QTY/ PACK	PACKS/ CASE
9" x 11" BULK – NON UPC				
Premium No-Fil Adalox A275 (Aluminum Oxide) Paper – Open Coat				
66261131622	4	66261131622	P600B	100 500
66261131624	8	66261131624	P400B	100 500
66261131626	2	66261131626	P320B	100 500
66261131627	9	66261131627	P280B	100 500
66261131628	6	66261131628	P240B	100 500
66261131629	3	66261131629	P220B	100 500
66261131630	9	66261131630	P180B	100 500
66261131631	6	66261131631	P150B	100 500
66261131632	3	66261131632	P120B	100 500
66261131633	0	66261131633	P100B	100 500
66261131634	7	66261131634	P80B	50 250
No-Fil Adalox A251 (Aluminum Oxide) Paper – Open Coat				
66261184098	9	66261184098	P400A	100 500
66261184100	9	66261184100	P320A	100 500
66261184102	3	66261184102	P240A	100 500
66261184103	0	66261184103	P220A	100 500
66261184104	7	66261184104	P180A	100 500
66261184108	5	66261184108	P150A	100 500
66261184105	4	66261184105	P120A	100 500
66261184106	1	66261184106	P100A	100 500
66261184107	8	66261184107	P80A	50 250
Adalox A211, A212, A213 (Aluminum Oxide) Paper – Open Coat				
66261100240	0	66261100240	P220A	100 500
66261100245	5	66261100245	P180A	100 500
66261100285	1	66261100285	P150C	100 500
66261100290	5	66261100290	P120C	100 500
66261100295	0	66261100295	P100C	100 500
66261100315	5	66261100315	P80D	50 250
66261100320	9	66261100320	P60D	50 250
66261100325	4	66261100325	P50D	50 250
66261100330	8	66261100330	P40D	25 125
66261100335	3	66261100335	P36D	25 125
Garnet A511, A513, A514 Paper – Open Coat				
66261101486	1	66261101486	280A	100 500
66261101487	8	66261101487	240A	100 500
66261101488	5	66261101488	220A	100 500
66261101489	2	66261101489	180A	100 500
66261101490	8	66261101490	150A	100 500
66261101495	3	66261101495	120A	100 500
66261101500	4	66261101500	100A	100 500
66261101505	9	66261101505	80A	50 250
66261101525	7	66261101525	150C	100 500
66261101530	1	66261101530	120C	100 500
66261101535	6	66261101535	100C	100 500
66261101555	4	66261101555	80C	50 250
66261101560	8	66261101560	60C	50 250
66261101565	3	66261101565	50D	50 250
66261101570	7	66261101570	40D	25 125
Emery K622 Cloth – Close Coat				
66261101240	9	66261101240	Fine	50 250
66261101245	4	66261101245	Medium	50 250
66261101250	8	66261101250	Coarse	25 125
66261101255	3	66261101255	Ex. Coarse	25 125

continued

UPC-A	PART NUMBER	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
9" x 11" BULK – NON UPC (continued)					
No-Fil Durite A413 (Silicon Carbide) Paper – Open Coat					
66261134600	9	66261134600	P320A	100	500
66261100805	1	66261100805	P240A	100	500
66261134606	1	66261134606	P220A	100	500
66261100807	5	66261100807	320B	100	500
66261100805	1	66261100805	240B	100	500
66261100804	4	66261100804	220B	100	500
66261100803	7	66261100803	180B	100	500
66261100802	0	66261100802	150B	100	500
66261100799	3	66261100799	120B	100	500
66261100800	6	66261100800	100B	100	500
66261100801	3	66261100801	80B	50	250
Tufbak Durite T402/T414 (Silicon Carbide) Waterproof Paper – Close Coat					
66261139377	5	66261139377	P2500B	50	250
66261139378	2	66261139378	P2000B	50	250
66261139379	9	66261139379	P1500B	50	250
66261139380	5	66261139380	P1200B	50	250
66261139381	2	66261139381	P1000B	50	250
66261139360	7	66261139360	600B	50	250
66261139361	4	66261139361	500B	50	250
66261139362	1	66261139362	400B	50	250
66261139363	8	66261139363	360B	50	250
66261139364	5	66261139364	320B	50	250
66261139365	2	66261139365	280B	50	250
66261139366	9	66261139366	240B	50	250
66261139367	6	66261139367	220B	50	250
Tufbak Adalox T247 (Aluminum Oxide) Waterproof Paper – Close Coat					
66261126057	2	66261126057	P600B	50	250
66261126059	6	66261126059	P400B	50	250
66261126060	2	66261126060	P320B	50	250
66261126061	9	66261126061	P280B	50	250
66261126062	6	66261126062	P240B	50	250
Tufbak Durite T461 (Silicon Carbide) Waterproof Paper – Close Coat					
66261130334	7	66261130334	600C	50	250
66261130333	0	66261130333	400C	50	250
66261130332	3	66261130332	320C	50	250
66261130331	6	66261130331	240C	50	250
66261101150	1	66261101150	180C	50	250
66261101155	6	66261101155	150C	50	250
66261101160	0	66261101160	120C	50	250
66261101165	5	66261101165	100C	50	250
66261101170	9	66261101170	80C	50	250
66261101175	4	66261101175	60C	50	250
Metalite K225 (Aluminum Oxide) Cloth – Close Coat					
66261126330	6	66261126330	P600J	50	250
66261126331	3	66261126331	P400J	50	250
66261126332	0	66261126332	P320J	50	250
66261126333	7	66261126333	P280J	50	250
66261126334	4	66261126334	P240J	50	250
66261126335	1	66261126335	P220J	50	250
66261126336	8	66261126336	P180J	50	250
66261126337	5	66261126337	P150J	50	250
66261126338	2	66261126338	P120J	50	250
66261126339	9	66261126339	P100J	50	250
66261126340	5	66261126340	P80J	25	125
66261101861	6	66261101861	60X	25	125
66261101862	3	66261101862	50X	25	125
9" x 10" Adalox A215 (Aluminum Oxide) Paper – Open Coat					
66261101380	2	66261101380	150B	Fine	50 250
66261101385	7	66261101385	100B	Medium	50 250
66261101390	1	66261101390	60B	Coarse	50 250